Author Index

Asakawa, N., see Mano, N. 687(1994)223
Aue, W.A., Singh, H. and Sun, X.-Y.
Fundamental noise in three chromatographic detectors 687(1994)283
Aue, W.A., see Singh, H. 687(1994)291
Aue, W.A., see Sun, X.-Y. 687(1994)259
Bailly, M., see Charton, F. 687(1994)13
Baldwin, R.P., see Ye, J. 687(1994)141
Buchberger, W. and Haddad, P.R.
Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343
Chakma, A., see Shahi, P. 687(1994)121
Charton, F., Bailly, M. and Guiochon, G.
Recycling in preparative liquid chromatography 687(1994)13
Cheng, Q., see Du, Q. 687(1994)174
Claessens, H.A., see Verhulst, H.A.M. 687(1994)213
Cramers, C.A., see Verhulst, H.A.M. 687(1994)213
Danielsson, R., see Malmquist, G. 687(1994)71
De Haan, J.W., see Verhulst, H.A.M. 687(1994)213
De Jong, A.P.J.M., see Visser, T. 687(1994)303
Du, Q., Li, M., Cheng, Q., Zhang, T.Y. and Ito, Y.
Purification of (−)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174
Eisenbeiss, F., see Verhulst, H.A.M. 687(1994)213
Fisher, G.B., see Nicholson, L.W. 687(1994)241
García, M.A. and Marina, M.L.
Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233
Giese, R.W.
Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) (Book Review) 687(1994)356
Goralski, C.T., see Nicholson, L.W. 687(1994)241
Grahn, A., see Hermansson, J. 687(1994)45
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
Guiochon, G., see Charton, F. 687(1994)13
Guiochon, G., see Guan, H. 687(1994)179
Guiochon, G., see Guan, H. 687(1994)201
Haddad, P.R., see Buchberger, W. 687(1994)343
Herdewijn, P., see Van Schepdael, A. 687(1994)167
Hermansson, J. and Grahn, A.
Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
Hoogmartens, J., see Van Schepdael, A. 687(1994)167
Horvat, J., see Varga-Defterdarović, L. 687(1994)101
Horvat, J., see Varga-Defterdarović, L. 687(1994)107
Horvat, Š., see Varga-Defterdarović, L. 687(1994)101
Horvat, Š., see Varga-Defterdarović, L. 687(1994)107
Hu, Y.-f., see Shahi, P. 687(1994)121
Husain, S., Sekar, R. and Rao, R.N.
Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
Irth, H., see Van der Vlis, E. 687(1994)333
Ito, Y., see Du, Q. 687(1994)174
Kalbitz, K., see Popp, P. 687(1994)133
Kato, H., see Saitoh, K. 687(1994)149
Kawamura, K., see Sakaguchi, F. 687(1994)315
Kebede, N., see Khan, J.K. 687(1994)113
Khan, J.K., Kuo, Y.-H., Kebede, N. and Lambein, F.
Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113
Kulicke, W.-M., see Roessner, D. 687(1994)249
Kuo, Y.-H., see Khan, J.K. 687(1994)113
Lambein, F., see Khan, J.K. 687(1994)113
Larsson, M., see Witte, D.T. 687(1994)155
Lewin, E.E., see Sundaram, K.M.S. 687(1994)323
Li, M., see Du, Q. 687(1994)174
Liu, X.-C. and Scouten, W.H.
New ligands for boronate affinity chromatography 687(1994)61
Malmquist, G.
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
Malmquist, G. and Danielsson, R.
Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71
Mano, N., Oda, Y., Asakawa, N., Yoshida, Y., Sato, T. and Miwa, T.
Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
Marina, M.L., see García, M.A. 687(1994)233
Marina, M.L., see Saz, J.M. 687(1994)1
Matyska, M.T., see Pesek, J.J. 687(1994)33
Mazereeuw, M., see Van der Vlis, E. 687(1994)333
Millier, B., see Singh, H. 687(1994)291
Millier, B., see Sun, X.-Y. 687(1994)259
Miwa, T., see Mano, N. 687(1994)223
Någård, S., see Witte, D.T. 687(1994)155
Nicholson, L.W., Pfeiffer, C.D., Goralski, C.T., Singaram, B. and Fisher, G.B.
High-performance liquid chromatographic separation of β-amino alcohols. I. Separation of (*R*,*S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241
Nott, R., see Sundaram, K.M.S. 687(1994)323

Author Index

Asakawa, N., see Mano, N. 687(1994)223
Aue, W.A., Singh, H. and Sun, X.-Y.
Fundamental noise in three chromatographic detectors 687(1994)283
Aue, W.A., see Singh, H. 687(1994)291
Aue, W.A., see Sun, X.-Y. 687(1994)259
Bailly, M., see Charton, F. 687(1994)13
Baldwin, R.P., see Ye, J. 687(1994)141
Buchberger, W. and Haddad, P.R.
Separation of metallo–cyanide complexes by capillary zone electrophoresis 687(1994)343
Chakma, A., see Shahi, P. 687(1994)121
Charton, F., Bailly, M. and Guiochon, G.
Recycling in preparative liquid chromatography 687(1994)13
Cheng, Q., see Du, Q. 687(1994)174
Claessens, H.A., see Verhulst, H.A.M. 687(1994)213
Cramers, C.A., see Verhulst, H.A.M. 687(1994)213
Danielsson, R., see Malmquist, G. 687(1994)71
De Haan, J.W., see Verhulst, H.A.M. 687(1994)213
De Jong, A.P.J.M., see Visser, T. 687(1994)303
Du, Q., Li, M., Cheng, Q., Zhang, T.Y. and Ito, Y.
Purification of (−)-epigallocatechin from enzymatic hydrolysate of its gallate using high-speed counter-current chromatography 687(1994)174
Eisenbeiss, F., see Verhulst, H.A.M. 687(1994)213
Fisher, G.B., see Nicholson, L.W. 687(1994)241
García, M.A. and Marina, M.L.
Study of the k' or log k'–log P_{ow} correlation for a group of benzene derivatives and polycyclic aromatic hydrocarbons in micellar liquid chromatography with a C_8 column 687(1994)233
Giese, R.W.
Time-of-Flight Mass Spectrometry and its Applications (edited by E.W. Schlag) (Book Review) 687(1994)356
Goralski, C.T., see Nicholson, L.W. 687(1994)241
Grahn, A., see Hermansson, J. 687(1994)45
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. I. Equilibrium isotherms 687(1994)179
Guan, H. and Guiochon, G.
Properties of some C_{18} stationary phases for preparative liquid chromatography. II. Column efficiency 687(1994)201
Guiochon, G., see Charton, F. 687(1994)13
Guiochon, G., see Guan, H. 687(1994)179
Guiochon, G., see Guan, H. 687(1994)201
Haddad, P.R., see Buchberger, W. 687(1994)343
Herdewijn, P., see Van Schepdael, A. 687(1994)167
Hermansson, J. and Grahn, A.
Resolution of racemic drugs on a new chiral column based on silica-immobilized cellobiohydrolase. Characterization of the basic properties of the column 687(1994)45
Hoogmartens, J., see Van Schepdael, A. 687(1994)167
Horvat, J., see Varga-Defterdarović, L. 687(1994)101
Horvat, J., see Varga-Defterdarović, L. 687(1994)107
Horvat, Š., see Varga-Defterdarović, L. 687(1994)101
Horvat, Š., see Varga-Defterdarović, L. 687(1994)107
Hu, Y.-f., see Shahi, P. 687(1994)121
Husain, S., Sekar, R. and Rao, R.N.
Enantiomeric separation and determination of antiparkinsonian drugs by reversed-phase ligand-exchange high-performance liquid chromatography 687(1994)351
Irth, H., see Van der Vlis, E. 687(1994)333
Ito, Y., see Du, Q. 687(1994)174
Kalbitz, K., see Popp, P. 687(1994)133
Kato, H., see Saitoh, K. 687(1994)149
Kawamura, K., see Sakaguchi, F. 687(1994)315
Kebede, N., see Khan, J.K. 687(1994)113
Khan, J.K., Kuo, Y.-H., Kebede, N. and Lambein, F.
Determination of non-protein amino acids and toxins in *Lathyrus* by high-performance liquid chromatography with precolumn phenyl isothiocyanate derivatization 687(1994)113
Kulicke, W.-M., see Roessner, D. 687(1994)249
Kuo, Y.-H., see Khan, J.K. 687(1994)113
Lambein, F., see Khan, J.K. 687(1994)113
Larsson, M., see Witte, D.T. 687(1994)155
Lewin, E.E., see Sundaram, K.M.S. 687(1994)323
Li, M., see Du, Q. 687(1994)174
Liu, X.-C. and Scouten, W.H.
New ligands for boronate affinity chromatography 687(1994)61
Malmquist, G.
Multivariate evaluation of peptide mapping using the entire chromatographic profile 687(1994)89
Malmquist, G. and Danielsson, R.
Alignment of chromatographic profiles for principal component analysis: a prerequisite for fingerprinting methods 687(1994)71
Mano, N., Oda, Y., Asakawa, N., Yoshida, Y., Sato, T. and Miwa, T.
Studies of ovomucoid-, avidin-, conalbumin- and flavoprotein-conjugated chiral stationary phases for separation of enantiomers by high-performance liquid chromatography 687(1994)223
Marina, M.L., see García, M.A. 687(1994)233
Marina, M.L., see Saz, J.M. 687(1994)1
Matyska, M.T., see Pesek, J.J. 687(1994)33
Mazereeuw, M., see Van der Vlis, E. 687(1994)333
Millier, B., see Singh, H. 687(1994)291
Millier, B., see Sun, X.-Y. 687(1994)259
Miwa, T., see Mano, N. 687(1994)223
Någård, S., see Witte, D.T. 687(1994)155
Nicholson, L.W., Pfeiffer, C.D., Goralski, C.T., Singaram, B. and Fisher, G.B.
High-performance liquid chromatographic separation of β-amino alcohols. I. Separation of (*R*,*S*)-1-(dialkylamino)-2-alkanols on an amylose-based chiral stationary phase 687(1994)241
Nott, R., see Sundaram, K.M.S. 687(1994)323

Oda, Y., see Mano, N. 687(1994)223
Oppermann, G., see Popp, P. 687(1994)133
Pesek, J.J. and Matyska, M.T.
Synthesis and spectrometric characterization of a true diol bonded phase 687(1994)33
Pfeiffer, C.D., see Nicholson, L.W. 687(1994)241
Popp, P., Kalbitz, K. and Oppermann, G.
Application of solid-phase microextraction and gas chromatography with electron-capture and mass spectrometric detection for the determination of hexachlorocyclohexanes in soil solutions 687(1994)133
Rao, R.N., see Husain, S. 687(1994)351
Roessner, D. and Kulicke, W.-M.
On-line coupling of flow field-flow fractionation and multi-angle laser light scattering 687(1994)249
Roets, E., see Van Schepdael, A. 687(1994)167
Saitoh, K., Kato, H. and Teramae, N.
Separation of chlorophyll-c_1 and -c_2 by micellar electrokinetic capillary chromatography 687(1994)149
Sakaguchi, F. and Kawamura, K.
Identification of 4-oxoheptanedioic acid in the marine atmosphere by capillary gas chromatography–mass spectrometry 687(1994)315
Sato, T., see Mano, N. 687(1994)223
Saz, J.M. and Marina, M.L.
Retention mechanism and implications for selectivity for a group of dihydropyridines in ionic micellar liquid chromatography 687(1994)1
Scouten, W.H., see Liu, X.-C. 687(1994)61
Sekar, R., see Husain, S. 687(1994)351
Shahi, P., Hu, Y.-f. and Chakma, A.
Gas chromatographic analysis of acid gases and single/mixed alkanolamines 687(1994)121
Singaram, B., see Nicholson, L.W. 687(1994)241
Singh, H., Millier, B. and Aue, W.A.
Dual-channel response ratios from an integrative algorithm 687(1994)291
Singh, H., see Aue, W.A. 687(1994)283
Singh, H., see Sun, X.-Y. 687(1994)259
Siouffi, A.M.
Thin Layer Chromatography: Reagents and Detection Methods (by H. Jork, W. Funk, W. Fisher and H. Wimmer) (Book Review) 687(1994)357
Skurić, M., see Varga-Defterdarović, L. 687(1994)101
Skurić, M., see Varga-Defterdarović, L. 687(1994)107
Smets, K., see Van Schepdael, A. 687(1994)167
Sun, X.-Y., Singh, H., Millier, B., Warren, C.H. and Aue, W.A.
Noise, filters and detection limits 687(1994)259
Sun, X.-Y., see Aue, W.A. 687(1994)283
Sundaram, K.M.S., Nott, R. and Lewin, E.E.
Comparative study of the determination of tebufenozide in formulated products by gas chromatographic and liquid chromatographic methods 687(1994)323
Teramae, N., see Saitoh, K. 687(1994)149
Tjaden, U.R., see Van der Vlis, E. 687(1994)333
Van Aerschot, A., see Van Schepdael, A. 687(1994)167
Van de Ven, L.J.M., see Verhulst, H.A.M. 687(1994)213
Van der Greef, J., see Van der Vlis, E. 687(1994)333
Van der Vlis, E., Mazereeuw, M., Tjaden, U.R., Irth, H. and Van der Greef, J.
Combined liquid–liquid electroextraction and isotachophoresis as a fast on-line focusing step in capillary electrophoresis 687(1994)333
Van Schepdael, A., Smets, K., Vandendriessche, F., Van Aerschot, A., Herdewijn, P., Roets, E. and Hoogmartens, J.
Comparative stability study of thymidine and (dideoxy-D-*erythro*-hexopyranosyl)thymine analogues monitored by capillary electrophoresis 687(1994)167
Vandendriessche, F., see Van Schepdael, A. 687(1994)167
Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. I. Leucine-enkephalin-related glycoconjugates 687(1994)101
Varga-Defterdarović, L., Horvat, Š., Skurić, M. and Horvat, J.
Correlation of structure and retention behaviour in reversed-phase high-performance liquid chromatography. II. Methionine-enkephalin-related glycoconjugates 687(1994)107
Verhulst, H.A.M., Van de Ven, L.J.M., De Haan, J.W., Claessens, H.A., Eisenbeiss, F. and Cramers, C.A.
Patching in reversed-phase high-performance liquid chromatographic materials studied by solid-state NMR spectrometry 687(1994)213
Visser, T., Vredenbregt, M.J. and De Jong, A.P.J.M.
Confirmational analysis of polycyclic aromatic hydrocarbons in soil extracts by cryotrapping gas chromatography–Fourier transform infrared spectrometry 687(1994)303
Vredenbregt, M.J., see Visser, T. 687(1994)303
Warren, C.H., see Sun, X.-Y. 687(1994)259
Witte, D.T., Någård, S. and Larsson, M.
Improved sensitivity by on-line isotachophoretic preconcentration in the capillary zone electrophoretic determination of peptide-like solutes 687(1994)155
Ye, J. and Baldwin, R.P.
Determination of carbohydrates, sugar acids and alditols by capillary electrophoresis and electrochemical detection at a copper electrode 687(1994)141
Yoshida, Y., see Mano, N. 687(1994)223
Zhang, T.Y., see Du, Q. 687(1994)174